

Alignment of viewpoint heterogeneous design models: “Emergency Department” Case Study

M. El Hamlaoui^(1, 2), B. Coulette⁽²⁾, S. Ebersold⁽²⁾, S. Bennani⁽¹⁾, M. Nassar⁽¹⁾,
A. Anwar⁽⁵⁾, A. Beugnard⁽³⁾, J.C. Bach⁽³⁾, Y. Jamoussi⁽⁴⁾, H. N. Tran⁽²⁾

(1) SIME laboratory, ENSIAS, Mohammed V University in Rabat, Morocco

(2) IRIT laboratory, UT2J, University of Toulouse, France

(3) Telecom Bretagne, Brest, France

(4) RIADI laboratory, Tunis, Tunisia

(5) SIWEB, EMI, Mohammed V University in Rabat, Morocco

Abstract. Generally, various models can be used to describe a given application domain on different aspects and thus give rise to several views. To have a complete view of the application domain, heterogeneous models need to be unified, which is a hard task to do. To tackle this problem, we have proposed a method to relate partial models without combining them in a single model. In our approach, partial models are organized as a network of models through a virtual global model called M1C (Model of correspondences between models) which conforms to a ubiquitous language based on a Meta-Model of Correspondences (MMC). This paper presents an application of our method to an “Emergency Department” case study. It has been performed as a collaborative process involving model designers and a supervisor. The focus is put on the building of the M1C model from 3 partial models.

Keywords: heterogeneous meta-models, partial models, correspondences, semantic expression, refinement mechanism.

1 Introduction

The development of a complex system is usually based on a varied set of languages, tools and environments that are generally used separately by modeling experts working on different dimensions of the system. In addition, developers are often located in distant geographical areas, as it is the case in distributed collaborative development. This complicates their cooperation. Thus, a complex system can be often divided into several subsystems: each subsystem belongs to a specific business domain and may be represented by one or several partial models designed in a specific language that describes this business area. It is mandatory to construct a global model to understand and effectively use knowledge of such a system. The creation of this global model requires identifying the existing connections between elements of these partial models. However, the global model construction remains hard, given the different semantics and the difficulty of identifying correspondences between these partial models. This issue is typically known as heterogeneity problem.

This problem is shared by the community of complex software systems designers which gave birth to the GEMOC initiative [1]. A classification of the different levels of heterogeneity in software engineering has been addressed in Baudry and al. [2]. Several research works related to models matching have been discussed and compared according to several criteria in [3] namely: Models federation [4], Matchbox [5], SAMT4MDE [6], etc.

Our approach sets a process that allows the creation of a global view of the system through a composition based on aligning partial models. For establishing correspondences between models, the process first identifies correspondences (HLC - High Level Correspondences) between elements of related meta-models that we call meta-elements, and then generates semi-automatically correspondences between model elements (LLC - Low Level Correspondences).

In El Hamlaoui and al. [7] we present our approach and the first bricks of our tool called HMCS (Heterogeneous Matching and Consistency management Suite). The correspondences used in this tool have only a syntactic description. In our previous GEMOC publication [8], we presented a first attempt to exploit ontology-based matching techniques that uses a semantic description of correspondences to enhance the automation of the matching process. Correspondences presented in this paper were restricted to the similarity relationship. In our previous papers we presented how to obtain the correspondence model but not how to use it. In a paper presented in 2015 [9] we explain one of the different ways to exploit the correspondence model which is consistency management when source models evolve.

In this paper we present the design of a complex system via a collaborative process by modeling the Emergency Department (ED) of a hospital. Partial models are produced by separate designers who work independently. First, the produced models were analyzed and treated manually by a design expert named "supervisor" so as to remove conflicts due to possible contradictions (e.g. incompatible attribute values, contradictory relationships among classes, etc.). Then the obtained models were aligned by means of correspondences so as to produce a global model which is in fact a network of partial models.

The rest of this paper is organized as follows. Section 2 presents a recall of our matching approach. Section 3 introduces the ED case study. Section 4 presents the models defined by different designers, shows how the correspondence model that has been obtained and discusses the result of the ED case study. Finally, we present in section 5 some conclusions and future works.

2 Recall: Alignment of Heterogeneous Models (AHM)

Our solution consists in aligning heterogeneous models by establishing correspondences between their model elements. Correspondences are saved in a correspondence model. The following process – see [8,9,10,13] for more details – describes the steps required to produce this model. In the first step, the process takes as input the various meta-models and the kernel of our proposed MMC. Subsequently, a check is performed to inspect and ensure that the MMC contains all needed relationships to set up correspondences in the scope of a given application domain. If the supervisor considers that the proposed relationships are not sufficient to express some correspondences among (meta-)model elements, the DSR (Domain Specific Relationship) part of MMC is specialized in a second step. The third step aims to enrich the MMC with semantic expressions defined for each relationship. For this purpose, a Semantic Expression DSL, described in [10] has been proposed to permit the creation of a semantic expression model that is woven with the MMC. The result is an MMC with semantics added as annotations on the different relationships.




Fig. 1. Annotated MMC for the ED system

The fourth step of the alignment process consists in identifying correspondences among meta-elements so as to produce a correspondence model called M2C. This latter stores HLCs that contain meta-elements linked by HLRs (High Level Relationships). HLCs are then refined to produce LLCs stored into a

model called M1C, which this time contains model elements linked by LLRs (Low Level Relationships).

Fig. 1. Above shows the MMC, annotated with the semantic expression of the relationships, applicable for the Emergency Department case study. For example, the *Similarity* relationship is described by an expression in Java. The expression explicitly states, using the *sameAs* function, that the related elements are similar. For the *Dependency* relationship, since we did not manage to find an expression that can describe it, we have specified it in a natural language.

3 Presentation of the ED case study

Emergency Departments (EDs) represent a critical branch of any country's health system. Such departments are usually faced with emergency situations (accidents, natural disasters, terrorist attacks, wars, epidemics, etc.) that need special skills provided by a multidisciplinary approach where viewpoints are complementary. Moreover, a need of coordination between actors must be taken into account in the design phase of such systems, so that the different partial models developed in this phase are synchronized. In addition, models usually evolve due to changing laws, business rules, security constraints and personal data protection. In this case, it is important to re-align partials models to ensure the overall coherence of the system.

Many business domains are involved to represent the functioning of an ED. To design this application domain, we have chosen to represent the scope of three points of view managed separately by the following designers:

- Medical report designer: responsible for building digital mockups that define an Emergency Examination Report (EER). He creates a model expressed through a form meta-model,
- Software designer: responsible for the representation of organizational data of the information system. He creates a model expressed through an object-oriented meta-model,
- Process designer: responsible for the establishment of medical protocols to be applied by ED staffs. He creates a model expressed through a process-based meta-model.

Due to space limit, we invite readers to see meta-models in [11].

4 ED case study enactment

4.1 Organization

To lead this study, we asked various partners to participate in the elaboration of partial models describing parts of this complex system. *Table 1* shows an

overview of designers and their produced models whereas [11] provides a detailed vision in our extension of SPEM called CMSPem [12].

Actor, Laboratory	Role	Model produced
Bennani S., SIME	Designer	Organizational model
Beugnard A./Bach JC., Telecom Bretagne	Designer	Medical protocol model
Jamoussi Y., RIADI	Designer	EER model
Osterweil L./ Shin SY., UMASS	Designer	Medical protocol model
Tran HN., IRIT	Designer	EER model
El Hamlaoui M., SIME	Supervisor	M2C, M1C

Table 1. Teams involved in the partial models' production

4.2 Designed models

We present here three models designed in conformity with the meta-models described in [11]. For EER and Medical protocol models, as we received two proposals for each, the supervisor performed a merge operation, in order to get a unique and representative model. This merging process is out of scope of this paper.




Fig. 2. Extract of the EER model

An EER is a form that contains information concerning the patient such as his medical history and diagnosis. Fig. 2 presents an excerpt of this model by using UML object diagram's concrete syntax.

Fig. 3 below presents an excerpt of the organizational model of ED, based on UML class diagram's concrete syntax. For instance, an emergency physician treats a patient and makes diagnosis. The diagnosis decision can lead to a surgery operation.




Fig. 3. Extract of the Organizational model




Fig. 4. Extract of the medical protocol model

The medical protocols model intends to describe the different protocols applied by the staff. In a given ED, each type of staff has a specific role. An extract of this model using a custom concrete syntax proposed by its authors is presented in Fig. 4. The model describes the tasks done by a nurse and an emer-

gency physician. For instance, the emergency physician achieves a consultation and makes prescriptions, whereas the nurse takes care of the patient, takes his blood sample and explains doctor's prescriptions.

4.3 Correspondence model

Defining correspondences at the meta-model level.

Before starting the creation of the different correspondences models, the MMC may have to be specialized to add some relationships specific to the ED domain. Within this context, Fig. 1. (see section 2 above) shows the relationships which have been added to MMC's kernel with their semantics: *Requirement, Deduction and Induction*. The first one allows to know the fields that an activity needs for its smooth running. The second one allows to deduce, through a function, the value of another element. The third one is used to represent the operations that an activity invokes for its execution. The following step is the creation of the M2C model (Fig. 5). An example of created HLC is those that relate the meta-element Attribute from the organizational meta-model, to the meta-element Field from the Form meta-model through the following relationships: *Similarity, Deduction and Aggregation*.

A HLC allows anticipating the complexity of matching by first establishing correspondences between meta-model elements. Thereafter, the accuracy of certain details of abstract model can be managed at the LLC level, obtained by refining HLCs through a propagation operation. HLCs are then refined to produce the M1C model. Primarily, a reproduction operation is initiated on the M2C followed by a selection operation. In other words: $M1C = \text{Propagation (M2C)} = \text{Selection o Reproduction (M2C)}$.




Fig. 5. M2C – ED HLCs

Defining correspondences at the model level.

Reproduction.

This operation is a homomorphism (structural preservation from one algebraic structure to another one) between correspondences in M2C and M1C. Its role

is to duplicate all correspondences defined at the meta-model level into the model ones. In other words, there are as many potential LLCs for a given HLC as Cartesian product of instances of meta-elements involved in the HLC. This operation limits the generation of correspondences to elements whose type participates in a HLC. Even if the contextual information helps avoiding the creation of correspondences between elements of types that do not match (e.g., an *Operation* and a *Field*) it does not guarantee that all generated correspondences are semantically correct.

Selection.

This operation consists in filtering out correspondences produced by the reproduction operation in order to keep only those who are valid, with respect to the semantic expression associated to relationships, and filter out the incorrect ones.




Fig. 6. M1C – ED LLCs

For relationships with informal expression (in natural language), it is supervisor's role to decide whether or not to keep the correspondences depending on the expression associated to relationships. Considering the relationships with a formal expression, their expressions (represented as a note in Fig. 1.) have to be executed. Execution of body's expressions requires an interpreter of the language in which the expression is written (a Java Virtual Machine JVM in our case). Fig. 6 illustrates the M1C model obtained at end of selection phase. For example, execution of the following method: "tel". sameAs("phoneNumber") returns true. The decision consists in keeping the correspondence involving both elements and deleting the others.

4.4 Discussion

As illustrated in Fig. 5, the alignment at meta-model level is composed of 7 HLCs created semi-automatically with the HMCS tool. Alignment at model level should be obtained automatically. In our ED case study, 15 LLCs have

been produced semi-automatically (automatically for the reproduction step and in assisted way for the selection step). The reason for this is firstly to have a model that can serve as reference alignments to evaluate our approach (a golden model) and secondly, because the Semantic Expression DSL has not been yet fully implemented in HMCS to take into account all relationships' semantics.

In the presented approach we assume that semi-automatic tasks are performed by the supervisor with a global understanding of the various models. This assumption makes the process dependent on him and therefore relatively centralized. For instance, he intervenes in checking whereas the MMC contains all needed specific relationships related to the studied domain. Throughout HMCS, he is responsible for adding appropriate semantics, defining correspondences between meta-elements and removing some correspondences generated at model level, expressed in natural language, that are not valid. These tasks are very difficult to perform by a single person. Relationships defined between partial models may be complex and the number of correspondences generated in reproduction step may be huge. Supervisor may have to ask models' designers to clarify the scope or meaning of an element and to help deciding whether or not to keep the correspondence, particularly when the semantics is expressed in a natural language.

5 Conclusion and future work

Our general research addresses the matching of interrelated heterogeneous models in the context of complex system development. Thereby, we are interested in establishing correspondences between heterogeneous models described through different meta-models used in a given application domain. In industrial developments, this work is done by several (team of) designers working collaboratively by implying partial models' designers. We are aware that the case studies treated in our previous works (Bug Tracking System, [13], Conference Management System [8]), had some limits and did not allow to validate our approach on a large scale. For that we sought the participation of design partners, having no knowledge of the approach used in our work, in the elaboration of models describing viewpoints on the studied system. This way of performing the ED case study has demonstrated the relevance of our approach. Indeed at the end of the process, a model was created containing the needed correspondences used to relate heterogeneous models. Thereafter, we have initiated a study to transform the current alignment process into a collaborative one. This will result in redefining tasks to perform by different

designers and in using collaborative tools and strategies instead of a process based on the assumption that the supervisor has an overall knowledge of the application domain. For this we will use the results that we got in the Galaxy ANR project and especially the CMSPeM meta-model dedicated to collaborative process description [12].

Acknowledgment – We thank very much all the participants to the ED case study and in particular Lee Osterweil and Seung Yeob Shin who provided a medical protocol model.

6 References

1. GEMOC: *Initiative On the Globalization of Modeling Languages*. 2012 [cited 2015 March]; Available from: <http://gemoc.org/ins/>.
2. Baudry, B., Combemale, B., Deantoni, J., Mallet, F.: *Action Spécifique 2011 GeMoC du GDR GPL «Ingénierie du logiciel pour les systèmes hétérogènes»*. 2012.
3. El Hamlaoui, M., *Mise en correspondance et gestion de la cohérence de modèles hétérogènes évolutifs*. 2015, University of Toulouse-Jean Jaurès: 2015. p. 199.
4. Guychard, C., Guerin, S., Koudri, A., Beugnard, A., Dagnat, F.: *Conceptual interoperability through Models Federation*. in *Semantic Information Modeling for Federation (SIMF@MODELS)*. 2013, Miami (USA), CEUR.
5. Voigt, K., Heinze, T.: *Metamodel matching based on planar graph edit distance*. in *Theory and Practice of Model Transformations*. 2010. Springer.
6. Lopes, D., Hammoudi, S., Abdouahab, Z.: *Schema matching in the context of model driven engineering: From theory to practice*, in *Advances in Systems, Computing Sciences and Software Engineering*. 2006, Springer. p. 219-227.
7. El Hamlaoui, M., Ebersold, S., Anwar, A., Coulette, B., Nassar, M.: *Towards a framework for heterogeneous models matching*. *Journal of Software Engineering*, 2014. **8**(3): p. pp. 132-151.
8. El Hamlaoui, M., Tojahn, C., Ebersold, S., Coulette, B.: *Towards an Ontology-based Approach for Heterogeneous Model Matching*, in *International Workshop On the Globalization of Modeling Languages (GEMOC)*. 2014, Valencia (SPAIN), CEUR.
9. El Hamlaoui, M., Ebersold, S., Coulette, B., Anwar, A., Nassar, M.: *Heterogeneous models matching for consistency management*. in *Research Challenges in Information Science (RCIS)*. 2014. IEEE.
10. El Hamlaoui, M., Ebersold, S., Coulette, B., Anwar, A., Nassar, M.: *Maintien de la cohérence de modèles de conception hétérogènes*. *Technique et Science Informatiques*, 2015. **34**: p. 667-702.
11. El Hamlaoui, M. and al., *“Emergency Department” Case Study description*. 2016; Available from: <https://cloud.irit.fr/index.php/s/42EGmbcq2Ag5gcu>.
12. Kedji, K.A., Lbath, R., Coulette, B., Nassar, M., Baresse, L., Racaru, F.: *Supporting collaborative development using process models: a toolled integration-focused approach*. *Journal of Software: Evolution and Process*, 2014. **26**(10): p. 890-909.
13. El Hamlaoui, M., Ebersold, S., Coulette, B., Anwar, A., Nassar, M.: *A process for defining a unique correspondence model to relate heterogeneous models*, in *International Conference on Evaluation of Novel Approaches to Software Engineering (ENASE)*. 2013, Angers (France), SciTePress.